

Serial No.: 10/707,470
Attorney Docket No.: F-670

Patent

Amendment To The Claims

Please amend the claims as follows:

RECEIVED
CENTRAL FAX CENTER
DEC 05 2006

1. (previously amended) An apparatus for cleaning optical sensors comprising:
 - a substrate sheet for feeding through a feed path of the apparatus having a first surface and a second surface and having a substrate thickness, wherein the first surface has a front edge, a rear edge, a left edge and a right edge;
 - a first strip of material having a first strip height and attached to the first surface of the substrate sheet and oriented perpendicular to the feed path, wherein the first strip will vertically compress when drawn through a roller nip;
 - a second strip of material having a first strip height and attached to the first surface of the substrate sheet and oriented perpendicular to the feed path, wherein the second strip will vertically compress when drawn through a roller nip; and, wherein,
 - the first strip is separated from the second strip in the direction of the feed path by a first distance; and
 - the first strip height is relatively large compared to the substrate thickness.
2. (original) The apparatus of claim 1, wherein,
 - the first surface is an upper surface and the second surface is a lower surface.
3. (original) The apparatus of claim 2, wherein,
 - the first strip of material comprises open cell foam.
4. (original) The apparatus of claim 3, wherein,
 - the first strip of material is closer to the front edge of the substrate sheet than the second strip of material; and
 - the second strip of material comprises open cell foam and brush bristles.
5. (original) The apparatus of claim 3, wherein,

Serial No.: 10/707,470
Attorney Docket No.: F-670

Patent

the first strip of material comprises lint-free, lead-free, non-abrasive, open cell foam.

6. (original) The apparatus of claim 1, wherein,
the substrate sheet has approximately the planar dimensions of a number 10 envelope.

7. (original) The apparatus of claim 1, further comprising,
a leading edge handle on the substrate sheet.

8. (previously amended) The apparatus of claim 1, wherein,
the substrate sheet has approximately the planar dimensions of a letter sized sheet of paper and the first strip height is more than double the substrate thickness.

9. (previously presented) The apparatus of claim 1, wherein,
the first strip height is approximately twelve times the substrate thickness.

10. (previously presented) The apparatus of claim 1, wherein,
the first strip having a width that is relatively narrow to allow the first strip to vertically decompress when exiting the roller nip.

11. (previously presented) The apparatus of claim 1, wherein,
the substrate comprises a semi-rigid vinyl material.

12. (previously presented) The apparatus of claim 1, wherein,
the substrate comprises an ABS material.

13. (previously presented) The apparatus of claim 1, wherein,
the first strip having a first strip width; and wherein
the first distance is approximately five times the first strip width.

Serial No.: 10/707,470
Attorney Docket No.: F-670

Patent

14. (previously presented) The apparatus of claim 13, wherein, the first strip width is 0.5 inches.

15. (previously presented) The apparatus of claim 1, wherein, the first strip has the shape of a rectangular prism.

16. (canceled).

17. (previously presented) The apparatus of claim 1, wherein, the first strip height is approximately 0.75 inches, the first strip having a width of 0.5 inches; and wherein the first distance is 2.5 inches.

18. (previously presented) The apparatus of claim 1, wherein, at least one of the first and second strips has the shape of a triangular prism.

19. (currently amended) The apparatus of claim 1, wherein, the first strip includes a top surface and has the shape of a rectangular prism having at least one notch in the top surface.

20. (currently amended) The apparatus of claim 1, wherein, the first strip includes a leading edge and has the shape of a rectangular prism having an angled portion of the leading edge removed.